


# PRODUCTCATALOGUE





# PERFORMANCE DRIVEN







MILL

2

Millers Oils beat off strong competition from motorsport legends such as McLaren and Williams to scoop the prestigious 2009 'Most Innovative New Product' award at the World Motorsport Symposium with its revolutionary Nano Technology gear oil range; selected for its ability to radically improve transmission performance.

Continued investment in product innovation, spearheaded by our involvement in many areas of motorsport, has resulted in a range of high quality premium automotive products that our trade and retail customers can trust to provide exceptional reliability, performance and protection. We supply retail, workshops and professional users world-wide with a comprehensive range of lubricants including the Premium and Trident brand names. Formulated to the highest industry standards – latest ACEA and API specifications - carrying official **OEM** approvals where appropriate manufactured to BS EN ISO 9001 : 2008.

#### PERFORMANCE DRIVEN

# CONTENTS

Technical & sales support	4-5
'Which Oil' guide	7
Long Life fully synthetic engine oil	8-9
Fully synthetic engine oil	10
Semi synthetic engine oil	11
Trade engine oil – Trident	12-13
Oil in a Box	14
Oil stands – Lubestation	15
Bulk Oil	16-17
Manual gear & transmission oil (MTFs)	18-19
Automatic gear & transmission oil (ATFs)	20
Engine treatments	21
Greases	22-23
Screenwash	24
Antifreeze	24
Brake fluid	25
Hydraulic oil	25
Rust preventives	25
Motorcycle oil	26
Fuel treatments	27
Motorsport products	28
Classic vehicle products	29
Cleaning products	30
Hand care	31
Aerosols	31
Garage equipment	32-33
Branded clothing	34

"The service we receive from Millers Oils is top notch, as are the products. Millers Oils is one of the most trusted and respected automotive brands in the market and many of our customers prefer their products to any other brands due to the high performance specification."

PG Automotive, Derbyshire



As a choice supplier to independent workshops in the UK our products are available to the trade through many members of the trading group Group Auto Union (GAU) and a comprehensive number of leading UK Motor Factors.

For international customers, our export team will be happy to discuss your needs and put you in touch with one of our international distributors.





Whatever type of product you are looking for – engine oils, gear and transmission oils, brake fluids or fuel treatments – Millers Oils have the right products to meet all your vehicle servicing needs.

# **TECHNICAL** SUPPORT



4

Millers Oils has a reputation among our customers for the quality and technical excellence of our products. But it's not a position we take for granted. We know none of this would be possible without the highest standards of customer service, technical knowledge and support.

## **TECHNICAL** SUPPORT

All our automotive products are backed up by fast, accessible technical support. Our team of technical staff and engineers are always on hand to provide you with information and expert advice as and when it's needed.



Many of the technical details and specifications relating to our products and their use with particular vehicles and equipment are held in our own extensive database, so the answers you need may be available already.

Where required, we provide support in the field, looking at the issues first-hand, even taking samples for laboratory analysis. In fact, Millers Oils is one of the few oil companies to have its own dedicated analysis labs. So, because we don't outsource these services, you receive the results faster and you get to deal directly with the technical staff handling your query.





## **GLOBAL SALES** SUPPORT

UK customers benefit from direct contact with Millers Oils through our network of sales and business managers who cover the whole of the country. For international customers, our export team will be happy to discuss your needs and put you in touch with one of our international distributors.

# TECHNICAL **HELP DESK** +44 (0) 1484 475060 (in normal office hours)

technical@millersoils.co.uk



#### We can offer the following support:

- Advice on which lubricant to use.
- **OEM** recommendations for vehicles and equipment.
- Recommendation on the correct use of our products.
- Lubrication problem solving.
- Product information.
- Material Safety Datasheet (MSDS) support.
- Sample analysis on lubricants.
- Help you understand the mysteries of lubrication.





"Millers Oils are excellent to work with, and we always look to show our customers the benefits of using Millers Oils products. We know it's better value for money too." Motor Care Motor Factors, Monmouthshire

# WHICH OIL?



6

Lubricants are becoming more and more specific to particular engine types. With increasing pressure on the aftermarket to use the correct oil specification tailored to each engine – it has become increasingly difficult for workshop professionals to gather all the information required to make the correct product selection.

#### WHICH OIL?

We aim to make sure the aftermarket are aware of changes in engine requirements and therefore changes in engine oils. We are always on hand to offer expert advice on meeting these demands.



ICH O

Millers Oils provide an extensive and comprehensive range of engine oils, gearbox oils (Manual & Automatic) and coolants designed to meet the specific requirements for both Cars and LCVs (Light Commercial Vehicles) – some of these products have earned the official approval of leading OEMs.

CAUTION: The use of incorrect engine oil can cause major engine damage!

# www.millersoils.co.uk

#### APPLICATION Guide – Online

All the detailed application information is now published on the Millers Oils website. The easy to use online "Which Oil" advisor which complements the application booklet can be found at www.millersoils. co.uk (click Which Oil Advisor). Identifying Millers Oils products has now become easier for the UK trade using MAM Autocat +



Workshops now need to start thinking application and not just products. Our comprehensive 'WHICH OIL' application guide will help you select the right product specification for a given vehicle application. If you would like a copy of this booklet simply email: enquiries@millersoils.co.uk or 'phone Millers Oils on +44 (0)1484 713201.

Which Oil? – Making the correct choice – Easy!







# PREMIUM

ENGINE OILS | GEAR & TRANSMISSION OILS | FUEL TREATMENTS

# For motorists who demand the best

Our flagship range of premium quality engine oils, transmission oils and fuel treatments, developed to maximise performance from today's advanced engines.

Featuring fully synthetic long life, fully synthetic and semi synthetic products, our Premium range has been proven to deliver improved performance, cleaner running, greater fuel efficiency and longer engine life. Which is why many of our brands have earned the official approval of leading manufacturers such as BMW, Mercedes-Benz and VW.

# LONG LIFE, FULLY SYNTHETIC PETROL & DIESEL ENGINE OIL

Formulated to meet and exceed the most stringent emission requirements of car manufacturers, including **extended drain** capabilities, for engines operating under long life variable service regimes, carrying full manufacturer approval where appropriate.

Recommended for all modern cars, especially Euro IV or V compliant and those fitted with the latest emissions control equipment and diesel particulate filters (DPFs).





# LOW SAPS

Millers Oils have developed our Long Life range of low ash / low SAPS\* fully synthetic engine oils to meet the requirements of the latest generation of vehicles with exhaust after treatment devices.

\*SAPS [Sulphated ash, phosphorus & sulphur]


LONG LIFE C1 5w30	LONG LIFE C2 5w30
FULLY SYNTHETIC	FULLY SYNTHETIC
ACEA C1 IASO DL-1	ACEA C2, A1/B1, A5/B5 API SM, CF
MAZDA (DIESEL + DPF), MITSUBISHI (DIESEL + DPF)	RENAULT RN 0700
FORD M2C 934B	PSA B71 2290
DRDER CODES: 6228JEA <b>1L x 10</b> (case) 6228CGA <b>205L</b>	ORDER CODES: 6229JEA <b>1L x 10</b> (Case) 6229CGA <b>205L</b>
6228JEA      1L x 10 (Case)      6228CGA      205L        6228GGA      5L x 4 (Case)      BULK OIL	6229GGA 5L x 4 (case) BULK OIL
DZZOUCA JLX4 (Case) DOLK VIL	OZZYUUA JLA4 (Case) DOLK UIL
6228XJA 25L 6228BAA BULK 6228DEA 60L (Export only)	6229XJA 25L 6229BAA BULK 6229DEA 60L (Export only)
<section-header></section-header>	<text></text>
6228DEA    60L (Export only)      Image: Colspan="2">Image: Colspan="2" Image: Co	
<image/> <image/> <image/> <section-header><section-header></section-header></section-header>	<image/> <image/> <image/> <section-header><section-header><section-header></section-header></section-header></section-header>
<image/>	<image/> <image/> <image/> <section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header>
5228DEA    60L (Export only)      Source of the second of	<image/>
5228DEA    60L (Export only)      Source of the second of	<image/>



**PREMIUM** ENGINE OILS | GEAR & TRANSMISSION OILS | FUEL TREATMENTS For motorists who demand the best



# FULLY SYNTHETIC PETROL & DIESEL ENGINE OIL



Millers Oils uses the very latest fully synthetic technology to produce a range of high performance engine oils suitable for today's high output engines. These fully synthetic oils offer significantly increased engine wear protection, while reducing friction, releasing more power for faster acceleration and increased MPG.

Added benefits include lower engine drag and reduced oil consumption.

Recommended for modern cars, especially high performance and turbo models.

XFD 5w40 FULLY SYNTHETIC

ACEA A3/B3, B4 API CH4, CI4 MERCEDES-BENZ 228.3/229.1, VW 505.00 PSA B71 2296				
ORDER CO	DES:			
5537JEA	1L x 10 (Case)	5537CGA	205L	
5537GGA	5L x 4 (Case)	<b>BULK OIL</b>		
5537XJA	25L	5537BAA	BULK	
5537DEA	60L (Export only)			





OILS







API SL, ĆF PORSCHE, BMW LONGLIFE 98 MERCEDES-BENZ 229.1, VW 502.00/505.00

ORDER CODES:				
5484JEA	1L x 10 (Case)	5484CGA	205L	
5484GGA	5L x 4 (Case)	BULK OIL		
5484XJA	25L	5484BAA	BULK	
5484DEA	60L (Export only)			



XFS 5 FULLY SYN				
ORIGINAL	F -BENZ 229.1 FORD COSWORTH	REQUIREME	NT	
ORDER CO	DES:			
5454JNA	1L x 10 (Case)	5454CGA	205L	
5454GSA	5L x 4 (Case)	<b>BULK OIL</b>		
5454XJA	25L	5454BAA	BULK	
5454CHA	200L			

# SEMI SYNTHETIC PETROL & DIESEL ENGINE OIL

Semi synthetic engine oils offer a higher level of mechanical protection for your engine than conventional mineral oils, especially hydraulic valve lifters during cold starts, with the added benefits of lower engine drag and reduced oil consumption.

Diesel specific semi synthetics also offer enhanced turbo protection.



XFE 10w40 SEMI SYNTHETIC				
	<b>CI4</b> -BENZ 228.3, VW 294/2295	505.00		
5405JEA	1L x 10 (Case)	5405CGA	205L	
5405GGA	5L x 4 (Case)	<b>BULK OIL</b>		
5405XJA	25L	5405BAA	BULK	
5405DEA	60L (Export only)			

(	XFE-P SEMI SYNT	D 5w40	DIESEL	SPECIFIC
	ACEA A3/ API CH4 VW 505.00 FORD M2C	0/505.01		
	ORDER CO	DES:		
	5659JEA	1L x 10 (Case)	5659CGA	205L
	5659GGA	5L x 4 (Case)	BULK OIL	
	5659XJA	25L	5659BAA	BULK
	5659DEA	60L (Export only)		



12



# Trident

# **TRADE ENGINE OIL**

Our Trident engine oils stand for quality and value.

All engine oils in the range surpass (OE) manufacturers' standards, so you can be confident of their suitability and performance.

Developed principally for professional and trade users. Suitable for high volume use in the workshop.





- The range includes fully synthetic longlife, fully synthetic, semi synthetic and mineral grades.
- Developed using the latest technology to exceed the latest API and ACEA specifications.
- Trident engine oils are designed to cover servicing requirements from older vehicles to the latest high technology designs.
- The range provides a cost effective and affordable solution for the trade and workshop professional.
- The Trident range is suitable for both petrol and diesel engines.



Millers Oils specially designed stands for 25L packs. Sturdy welded steel construction. For more details see page 15.

> Delivery available see pages 16-17 Dispensing equipment see pages 32-33



Suitable for the latest technology petrol and diesel engines. Highly recommended for use in newer vehicles using variable service intervals, requiring fuel efficient lubricants.

#### TRIDENT LONG LIFE 5w30 FULLY SYNTHETIC

API SM, CF ACEA A3/B4, C2, C3 BMW LONGLIFE 04, MERCEDES-BENZ 229.51, VW 504.00/507.00, 502.00/505.00, GM LL-A-025/B-025, PSA B71 2290, DENALUT DN 0700 RENAULT RN 0700

#### **ORDER CODES:**

<u>5999JMA</u>	1L x 10 (Case)
<u>5999GOA</u>	5L x 4 (Case)
5999XDA	25L
5999DGA	60L (Export only)
5999CAA	205L
<b>BULK OIL</b> 5999BAA	BULK



Especially suitable for use in modern high performance engines including those with turbochargers.

# **TRIDENT 5w40**

VW 502.00/505.00

ORDER CO	DES:
5993JMA	1L x 10 (Case)
<u>5993G0A</u>	5L x 4 (Case)
5993XDA	25L
5993DGA	60L (Export only)
5993CAA	205L
<b>BULK OIL</b>	
5993BAA	BULK



Recommended for use in all modern vehicles, including Ford and many Japanese models.

#### **TRIDENT 5w30** SEMI SYNTHETIC

API SL, CF ACEA Á3/B3

#### **ORDER CODES:**

<u>5995JMA</u>	1L x 10 (Case)
<u>5995G0A</u>	5L x 4 (Case)
5995XDA	25L
5995DGA	60L (Export only)
5995CAA	205L



Ideal for modern multi-valve engine designs with hydraulic valve lifters. Particularly suited to higher mileage vehicles.

#### **TRIDENT 10w40** SEMI SYNTHETIC

API SL, CF ACEA A3/B4 MERCEDES-BENZ 229.1, VW 502.00/505.00, PSA B71 2294/2295, RENAULT RN 0700

ORDER CODES:		
5991JMA	1L x 10 (Case)	
<u>5991G0A</u>	5L x 4 (Case)	
5991XDA	25L	
5991DGA	60L (Export only)	
5991CAA	205L	
<b>BULK OIL</b> 5991BAA	BULK	



Ideal for modern multi-valve engine designs with hydraulic valve lifters. Particularly suited to higher mileage vehicles. The 10w30 is also suited to higher mileage vehicles which would normally call for a 5w30 grade oil.

TRIDE SEMI SYNT	ENT 10w30 THETIC
API SL, CI ACEA A3/ MERCEDES	
ORDER CO	DES: <b>1L x 10</b> (Case)
	<b>5L x 4</b> (Case)
<u>5994XDA</u> 5994DGA	
5994CAA	60L (Export only) 205L
BULK OIL 5994BAA	BULK



Ideal for mixed fleet use, trucks, LCVs vans and cars.

**TRIDENT 15w40** MINERAL

# API SL, CF ACEA A3/B3 MERCEDES-BENZ 229.1, VW 502.00/505.00, PSA B71 2295, VOLVO VDS-2, MAN 3275,

ALLISON C-4

ORDER CODES:				
5992JMA	1L x 10 (Case)			
5992G0A	5L x 4 (Case)			
5992XDA	25L			
5992DGA	60L (Export only)			
5992CAA	205L			
BULK OIL				
5992BAA	BULK			

TECHNICAL HELP DESK +44 (0) 1484 475060 (in normal office hours) technical@millersoils.co.uk





III.

# **'OIL IN A BOX'**

Introducing the new 15 litre **BAG IN BOX**. A 15 litre pack developed exclusively by Millers Oils for the automotive trade.



ENGINE OILS	CODE
XF LONG LIFE 5w30	5862EAA
XF LONG LIFE C1 5w30	6228EAA
XF LONG LIFE C2 5w30	6229EAA
XF LONG LIFE C3 5w30	6230EAA
XF LONG LIFE C4 5w30	6231EAA
XF LONG LIFE ECO 5w30	6221EAA
XFS 5w40	5484EAA
XFD 5w40	5537EAA

Please discuss with Millers Oils regarding additional products other than those listed above that can be made available to fill within Bag in Box.

14

Filled with our premium range of professional workshop oils, the 15 litre **BAG IN BOX** is designed to be easy to stack, easy to handle and easy to pour. **BAG IN BOX** uses all the latest environmentally friendly packaging technology so it is much easier and cheaper to dispose of than conventional packaging.

Our new 15 litre BAG IN BOX provides a smart, practical solution for all oil changes and top-ups.

## It's surprisingly cost effective too!

- **Convenient** 15 litre pack.
- Twin handles provide improved usability.
- Compatible with large bore tap (available separately) for easy pouring.
- Easy stacking and storage.
- **100% recyclable** box reduces waste disposal costs.

# BETTER FOR THE ENVIRONMENT, REDUCED DISPOSAL COSTS Recycling stages – It's as easy as 1...2...3...







# FILLSTANDS

# Millers Oils stands are designed to hold the new **15 litre BAG IN BOX** engine oil packs and/or our standard **25 litre plastic drums** for **safe**, **convenient** and **clean** pouring.

The stands are available in two types: a) our standard stand which will hold  $3 \times 25L$ , b) our new 'Lube Station' combination fill stand which will hold either  $6 \times 25L$  or  $6 \times 15L$  Bag in Box packs.

Both types of stand are made from high quality steel construction.

# LUBESTATION

# LUBESTATION



A 'ONE STOP SHOP' combination servicing stand designed to be used with the 15L Bag in Box packs (holds up to 90 Litres) or the standard 25 Litre drums (holds up to 150 litres).

The Lubestation has a convenient dispensing top shelf for storage of the highly regarded Millers Oils additives and fuel treatment products.

The stand is fitted with a handy oil drip tray and is supplied with wall mounting brackets for workshop safety.

With sloping shelves and tap space locators, the stand is perfectly designed to allow for easy decanting and pouring, essential where a variety of engine oil grades are being used.

The Lubestation allows workshops an opportunity to bring together servicing solutions in a simple, convenient and cost effective way. Being able to stock a full range of engine oils and additional servicing items such as engine flush and fuel treatments - the Lubestation is a highly attractive proposition for busy workshops with an eye on quality, efficiency and costs.



LUBESTATION capacity:

- 6 x 15L Bag in Box packs = up to 90 Litres
- 6 x 25 Litre drums = up to 150 Litres



STANDARD STAND capacity: 3 x 25 Litre drums = up to 75 Litres



# 

Millers Oils Bulk Oil delivery programme allows busy workshops to buy popular Premium and Trident grades in bulk. Our bulk oil service is cost effective and reliable making it easy for busy workshops to concentrate on servicing cars.

- Direct workshop delivery
- Delivery within 7 working days for stock items
- Delivery for non stock items (Please contact Millers Oils)
- Minimum order requirements apply

# Support package

We offer our bulk delivery customers seat covers and floor mats to provide the complete service package.

Deliveries over 1000L will receive: 1 roll of seat covers and 1 roll of floor mats FREE.

NOTE: Seat covers & floor mats are also available to purchase from Millers Oils.





FLOOR MATS 250 per pack Order code: 75171



BUL	K TANKS
ORDER C	ODES:
DOUBL	E SKINNED
75231	1300L
75220	2600L

## EQUIPMENT

We supply a wide range of workshop based equipment to help dispense, handle and apply our products – including taps, pourers, filters etc – please see our listings on pages 32 and 33 for more details.

PRODUCT	SERVICE CLASSIFICATION	MEETS REQUIREMENTS OF	CODE
<b>XF LONG LIFE 5w30</b> FULLY SYNTHETIC petrol & diesel	ACEA A3/B4, C3-10	VW 504.00/507.00, MERCEDES-BENZ 229.51 BMW LONGLIFE 04	5862BAA
<b>XF LONG LIFE C1 5w30</b> FULLY SYNTHETIC petrol & diesel	ACEA C1 JASO DL-1	MAZDA (DIESEL + DPF), MITSUBISHI (DIESEL + DPF) FORD M2C 934B	6228BAA
XF LONG LIFE C2 5w30 FULLY SYNTHETIC petrol & diesel	ACEA C2, A1/B1, A5/B5 API SM, CF	RENAULT RN 0700, PSA B71 2290	6229BAA
XF LONG LIFE C3 5w30 FULLY SYNTHETIC petrol & diesel	ACEA C3, A3/B3, B4 API SM, CF	BMW LONGLIFE 04, MERCEDES-BENZ 229.51, GM LL-A-025/LL-B-025, VW 502.00, 505.00 RENAULT RN 0710	6230BAA
<b>XF LONG LIFE C4 5w30</b> FULLY SYNTHETIC petrol & diesel	ACEA C4	RENAULT RN 0720 (DIESEL + DPF)	6231BAA
<b>XF LONG LIFE ECO 5w30</b> FULLY SYNTHETIC petrol & diesel	ACEA A5/B5-10 API SL, CF	FORD M2C 913C, FORD M2C 913B RENAULT RN 0700	6221BAA
XSS 5w30 SEMI SYNTHETIC petrol & diesel	ACEA A1/B1, A5/B5	FORD M2C 913B	5611BAA
XSS 10w40 SEMI SYNTHETIC petrol & diesel	ACEA A3/B3 API SL, CF	MERCEDES BENZ 229.1, VW 502.00/505.00 PSA B71 2294/2295, MTF - 94	5223BAA
<b>XFS 5w40</b> FULLY SYNTHETIC petrol & diesel	ACEA A3/B3 API SL, CF	PORSCHE, BMW LONGLIFE 98 MERCEDES-BENZ 229.1, VW 502.00/505.00	5484BAA
<b>XFS 5w50</b> FULLY SYNTHETIC petrol & diesel	ACEA A3/B3 API SL, CF	MERCEDES-BENZ 229.1 ORIGINAL FORD COSWORTH REQUIREMENT	5454BAA
XFE 10w40 SEMI SYNTHETIC petrol & diesel	ACEA B3, B4 API CH4, CI4	MERCEDES-BENZ 228.3, VW 505.00 PSA B71 2294/2295	5405BAA
XFE-PD 5w40 SEMI SYNTHETIC petrol & diesel	ACEA A3/B3 API CH4	VW 505.00/505.01 FORD M2C 917A	5659BAA
<b>XFD 5w40</b> FULLY SYNTHETIC petrol & diesel	ACEA A3/B3, B4 API CH4, CI4	MERCEDES-BENZ 228.3/229.1, VW 505.00 PSA B71 2296	5537BAA
TRIDENT LONG LIFE 5w30 FULLY SYNTHETIC petrol & diesel	API SM, CF ACEA A3/B4, C2, C3	BMW LONGLIFE 04, MB 229.51, VW 504.00/507.00, 502.00/505.00 GM LL-A-025/B-025, PSA B71 2290 RENAULT RN 0700	5999BAA
TRIDENT 5w30 SEMI SYNTHETIC petrol & diesel	API SL, CF ACEA A3/B3		5995BAA
<b>TRIDENT 5w40</b> FULLY SYNTHETIC petrol & diesel	API SL, CF ACEA A3/B3	MERCEDES-BENZ 229.1, VW 502.00/505.00	5993BAA
TRIDENT 10w30 SEMI SYNTHETIC petrol & diesel	API SL, CF ACEA A3/B3	MERCEDES-BENZ 229.1	5994BAA
<b>TRIDENT 10w40</b> SEMI SYNTHETIC petrol & diesel	API SL, CF ACEA A3/B4	MERCEDES-BENZ 229.1, VW 502.00/505.00 PSA B71 2294 / 2295, RENAULT RN 0700	5991BAA
TRIDENT 15w40 MINERAL petrol & diesel	API SL, CF ACEA A3/B3	MERCEDES-BENZ 229.1, VW 502.00/505.00, PSA B71 2295, VOLVO VDS-2, MAN 3275, ALLISON C-4	5992BAA

NOTE: The Millers Oils **Bulk Oil Programme** is presently operating in the United Kingdom only (excluding Ireland).



# **GEAR & TRANSMISSION OIL**

Millers Oils range of Gear and Transmission Oils enable you to satisfy most of your servicing requirements for both Manual & Automatic gearboxes and transmission systems in cars, vans and trucks.



# MANUAL GEAR OIL





High performance mineral gear oil used in manual transmissions, hypoid gears and axles requiring extreme pressure (EP) specified lubricants.

For use in cars, vans and commercial vehicles where a GL5 oil is required.

- Well proven superior performance.
- Provides 'trouble free' operation.
- Imparts exceptional load carrying ability.

#### HYPOID 80W90 GL5

API GL5 MIL-L-210 OEM perfo	rmance levels fo	r final drive:	GL5
5219JPA	1L x 10 (Case)	5219XIA	25L
5219GBA	5L x 4 (Case)	5219DAA	60L (Export only)
5219FAA	20L	5219CAA	205L

## HYPOID 85W140 GL5

API GL5 MIL-L-210 OEM perfo	rmance levels fo	r final drive:	<sup>5</sup> GI	.5
5113JPA	1L x 10 (Case)	5113XIA	25L	
5113GBA	5L x 4 (Case)	5113CAA	205L	
5113FAA	20L			

НУРО	ID 90 GL5		
<b>API GL5</b> <b>MIL-L-210</b> OEM perfo	<b>SD</b> rmance levels fo	r final drive:	s GL5
ORDER CO	DES:		
5016JPA	1L x 10 (Case)	5016XIA	25L
5016GBA	5L x 4 (Case)	5016CAA	205L
5016FAA	20L		





High quality mineral based extreme pressure (EP) gear oil treated with friction modifier for smooth operation of limited slip differentials.

Use in rear axles which incorporate limited slip and/or require special oils.

- Axles which incorporate friction plates to limit the amount of 'slip' between the two driven wheels often exhibit "stick-slip" resulting in unacceptable axle noise.
- The incorporation of special friction modifying additives ensures smooth power transmission and noise reduction.
- Can also be used in normal axles.

# LIMITED SLIP 90

API GL5		GL5
ORDER CODES:	6	
5314JPA 1L x 10 (Case)	5314XIA	25L
5314GBA 5L x 4 (Case)	5314CAA	205L



# **GEAR & TRANSMISSION OIL**

Please refer to the Millers Oils WHICH OIL?Guide

See page 7 for details



# **AUTOMATIC GEAR OIL**

Automatic transmission fluids covering Dexron II and Dexron III requirements.

A premium synthetic based automatic transmission fluid exceeding the requirements of Dexron IIIH and Ford Mercon specifications.

- Easier gearshift performance even at low temperatures
- Shorter warm up leading to maximum gearbox efficiency
- Longer drain periods
- Stable friction properties increasing durability
- Stays in grade even under extreme working conditions
- Excellent high temperature oxidation stability up to 100,000 miles

#### MILLERMATIC ATF DM

GM DEXRON IIIH, FORD MERCON, MERCEDES-BENZ 236.1, 236.5 ZF TE ML 14A, ZF TE ML 09B

ORDER CO	DES:			
5548JNA	1L x 10 (Case)	5548CGA	205L	
5548GSA	5L x 4 (Case)	<b>BULK OIL</b>		
5548FAA	20L	5548BAA	BULK	
5548XJA	25L			



Synthetic based automatic transmission fluid.

Primarily for use in Chrysler, Dodge, Jeep, Plymouth and Eagle vehicles requiring ATF +4.

Backwards compatible with all ATF + 3 applications.

- Improved gearshift performance.
- Offering superior wear protection and anti shudder properties.
- Outstanding low temperature fluidity.
- Excellent high temperature stability up to 100,000 miles under normal conditions.
- Extended transmission life.

#### MILLERMATIC ATF +4

MOPAR ATF + 3, ATF + 4

ORDER CO	DES:			
6043JNA	1L x 10 (Case)	6043CGA	205L	
6043GSA	5L x 4 (Case)	<b>BULK OIL</b>		
6043XJA	25L	6043BAA	BULK	



Automatic transmission and power steering fluid.

- Offering high levels of mechanical protection.
- Very high resistance to oxidation and degradation, therefore suitable where long service intervals are required
- Provides smooth gear changes ensuring an effective transmission of power.

#### MILLERMATIC ATF UN

GM DEXRON IID FORD M2C 138CJ, M2C 166H MERCEDES-BENZ 236.4, 236.6, 236.7

ORDER CO	DES:		
5386JEA	1L x 10 (Case)	5386DAA	60L (Export only)
5386GSA	5L x 4 (Case)	5386CGA	205L
5386FCA	20L	BULK OIL	
5386XJA	25L	5386BAA	BULK



A premium synthetic based automatic transmission and power steering fluid, suitable where long service intervals are required. Formulated to meet the latest Japanese and Korean manufacturer requirements.

- Excellent gearshift performance
- Ensures effective transmission of power
- Offering very high resistance to oxidation and degradation

#### MILLERMATIC ATF SP III

MITSUBISHI SP II, SP III, HYUNDAI AND KIA REBRANDS of MITSUBISHI Fluids, TOYOTA T-III, T-IV, WS, HONDA ATF-Z1, NISSAN MATIC-D, MATIC-J, JASO M315 1A, SUBARU SPECIAL ATF, GM DEXRON III, FORD MERCON

ORDER CO	DES:			
6213JNA	1L x 10 (Case)	6213CGA	205L	
6213GSA	5L x 4 (Case)	BULK OIL		
6213FJA	20L	6213BAA	BULK	
6213XJ	25L			

# **ENGINE TREATMENTS**



TECHNICAL HELP DESK +44 (o) 1484 475060 (in normal office hours) technical@millersoils.co.uk





# GREASES



A copper based lead free antiseize compound.

Used for assembly work where ease of dismantling is required and to prevent metal to metal contact. Used also for threaded connection, track adjusters, rock drill extension rods etc.

- Easy to apply and long lasting.
- Mechanically and thermally stable.
- Broad temperature range non-melting.

MILLERGREASE NS

ILLERGREASE NS

ORDER CODES:	
5259TAA	6 x 500g tub (Case)
5259SDA	3kg tin
5259QAA	12.5Kg pail

•



A multipurpose lithium grease of outstanding performance with a distinctive red colour.

A universal, grease suitable for use on all antifriction and plain bearings. Also highly suitable for the lubrication of universal joints and electric motor bearings.

- Longer bearing life
- Good mechanical stability and tenacity.
- Extreme pressure (EP) properties providing excellent load carrying characteristics
- Excellent resistance to corrosion.

ORDER CODES:	
5305UCA	36 x 400g cartridge (Case)
5305TBA	<b>6 x 500g tub</b> (Case)
5305QAA	12.5kg pail
5305FIA	20kg keg
5305PBA	50kg keg
5305CDA	180kg keg

# DELTAPLEX 2EP GREASE


22



A specialised grease formulated with lithium soap and 20% molybdenum disulphide. Used on constant velocity joints and highly

loaded sliding spline drive shafts. The high molybdenum disulphide content versus normal black greases provides a high load carrying capability making the product suitable for high load bearing applications.

- Very high molybdenum content versus normal black greases.
- Ideal for highly loaded constant velocity (CV) joints.
- Eliminates sliding spline binding under high acceleration loads.



A water repellent Bentone based grease with additional solid extreme pressure (EP) additives.

Ideal for the lubrication of 5th wheel coupling on articulated commercial vehicles. Highly water resistant, very adhesive for extended service.

- The Molybdenum Disulphide 'solid' lubricant content provides extra load carrying capacity.
- Resists the emulsifying action of water.
- Excellent adhesive and cohesive properties.
- Highly resistant to removal by wiping, rubbing and squeezing action of mating surfaces.
- Excellent pumpability.

#### BLACK MOLY MILLERGREASE D180

LACK MOLY

ORDER CODES:	
5265UCA	36 x 400g cartridge (Case)
5265SDA	3kg tin
5265QAA	12.5kg pail
5265FBA	20kg keg
5265PBA	50kg keg
5265CDA	180kg keg



A lithium based grease containing molybdenum disulphide.

Used for applications throughout both industry and automotive sectors.

- Offers a high degree of corrosion protection.
- Excellent pumpability.
- Excellent extreme pressure and anti-wear performance.
- Good temperature tolerance.

#### **BLACK MOLY MPQ 2**

ORDER CODES:	
5261UCA	36 x 400g cartridge (Case)
5261SDA	3kg tin
5261QAA	12.5kg pail
5261PBA	50kg keg
5261CDA	180kg

# A water repellent Bentone based, zinc oxide adhesive grease.

Ideal for the lubrication of 5th wheel coupling on articulated commercial vehicles. Highly water resistant, very adhesive for extended service.

- Resists the emulsifying action of water.
- Excellent adhesive and cohesive properties.
- Highly resistant to removal by wiping, rubbing and squeezing action of mating surfaces.
- Excellent pumpability.

#### MILLERGREASE D180

MILLERGREASE D180

ORDER CODES:	
5271UCA	36 x 400g cartridge (Case)
5271TBA	6 x 500g tub (Case)
5271SDA	3kg tin
5271QAA	12.5kg pail
5271PBA	50kg keg





# SCREENWASH



The ultimate screen wash for vehicle windscreens. Protects down to -44°C. Also aids the removal of dirt from vehicle windscreens. Dilution rates from 10% to 50%.

For use on vehicles, equipment and floors.

- Effective removal of road traffic film.
- Removal of heavy grease deposits.
- May be used to clean floors.

Can be used effectively with brush application.

24

### SCREENWASH

#### **ORDER CODES:** 5645JTA 1L x 10 (Case) 5645KPA 25L 5645GQA 5L x 4 (Case) 5645CIA 205L





ANTIFREEZE (Other antifreeze specifications are available, please request details)



A high quality, corrosion-inhibited, blue ethylene glycol automotive antifreeze which exceeds BS 6580:1992 standard. Typically provides 2 year protection under normal ambient temperatures.

- Offers protection from freezing down to -42°C at dilution rate to 50%.
- Excellent corrosion protection.
- Superior anti-foam properties.
- No silicates, nitrates, amines, borates or phosphates, leading to improved stability and freedom from scale and deposits.

# ALPINE ANTIFREEZE BT

			Blue			
BS 6580:1992 requirement						
ORDER CODES:						
5359JTA	1L x 10 (Case)	5359FDA	20L			
5359GQA	5L x 4 (Case)	5359CIA	205L			
5359DBA	60L (Export only)					



A monoethylene glycol based red automotive antifreeze and coolant, suitable for all year round use in the cooling systems of all internal diesel and petrol combustion engines.

- Offers protection from freezing down . to -37°C at dilution rate to 50%.
- Extra long life up to 150,000 miles or 5 years whichever occurs first.
- Excellent corrosion protection.
- No silicates, nitrates, amines, borates or phosphates, leading to improved stability and freedom from scale and deposits.

#### ALPINE ANTIFREEZE Red EXTEND

**ORDER CODES:** 5668JTA 1L x 10 (Case) 5668GQA 5L x 4 (Case) 5668CIA 205L

5668FDA 20L





A high boiling point brake fluid for all braking systems where a non-mineral fluid is required. Meeting SAE J1703 / J1704 and FMVSS 116 Dot 4.

This product can also be used where older DOT 3 brake fluids are specified.

- Ideal for use in ABS systems
- Wet boiling point of 165°C.
- Enhancing performance against water absorption therefore improves resistance to vapour lock.

#### UNIVERSAL BRAKE FLUID DOT 4

SAE J 1703, FMVSS 116 DOT 4

ORDER CODES:				
5391JVA	1L x 10 (Case)	5391FDA	20L	
5391GTA	5L x 4 (Case)	5391XEA	25L	
		5391CMA	205L	



A high boiling point brake fluid exceeding the requirements of SAE J1703, SAE J1704 and FMVSS 116 DOT 4.

Used in racing and high performance braking systems.

- Enhanced capability to perform at high braking temperatures found under arduous racing conditions and high performance engines.
- Robust against water absorption, improving resistance to vapour lock.
- Wet Equilibrium Boiling Point above 194°C.

#### RACING BRAKE FLUID 300+

ORDER CODES:

5824KFA 500ml x 12 (Case)



# **HYDRAULIC OIL**

Hydraulic oil for Plant, Agricultural and General Workshop use. (Other hydraulic oils available – please ask Millers Oils for details).



A high quality hydraulic oil suitable for hydraulic applications

- Ideal for tipping gear, fluid couplings, some torque convertors, tail lifts and garage/workshop lifts.
- Ideal for hydraulic bottle and trolley jacks

#### MILLMAX 32 HYDRAULIC OIL

ORDER CODES:				
5037JAA 1L x 10 (Case)	5037DAA 60L (Export only)			
5037GAA 5L x 4 (Case)	5037CAA <b>205L</b>			
5037FAA <b>20L</b>	5037BAA BULK			
5037XAA <b>25L</b>				

# **RUST PREVENTIVE**



Wax-film is an ideal protection of vehicle underbodies and inner panels.

Excellent on springs, linkages and other components, in inaccessible areas when wishing to protect from water and salt corrosion.

- Indoors
  5 years minimum
- Outdoors
  2 years minimum
- Covered Outdoors
  5 years minimum

#### PW11 WAX FILM

ORDER CODES:	12			
5628GCA <b>5L</b>	<b>x 4</b> (Case)	5628CKA	205L	
5628XEA <b>25</b>				
5628XEA <b>25</b>	-			









# **MOTORCYCLE OIL**

A range of high performance motorcycle oils formulated to cope with the high revving nature and higher operating temperatures experienced with motorcycle engines. Suitable for small-engined scooters to large V-twins, sports and race bikes, including those motorcycles running wet clutches. Both 4 stroke and 2 stroke oils are suitable for use on or off road and on the race track.





# **FUEL TREATMENTS**

#### ECOMAX provides more power and improved fuel efficiency.


Using ECOMAX, drivers report 'better than new' engine performance – improved response and more miles per gallon. But that's not all. ECOMAX helps cars run cleaner, so it's better for the environment too.

FOR **POWER** FOR **ECONOMY** FOR THE BEST OF BOTH WORLDS THERE'S ONLY ONE CHOICE



- Improved fuel economy Up to 7% increased MPG.
- Real power increases
  Improves throttle and engine response.
- Cleans injectors Ensuring optimum performance.
- Reduces emissions
  Proven reductions in soot, carbon and NOx.
- Cost effective Low treatment rate (500ml).
- Easy to use New patented UNI-POUR 500ml bottle.

International ECOMAX packs are available – please contact Millers Oils for more details.











ENGINE OILS, TRANSMISSION OILS AND FUEL TREATMENTS

Millers Oils motorsport formulations are recommended by racing drivers, engine builders and engineers competing at many levels of motorsport and are also suitable for high output performance road cars. Using fully synthetic technology combining 3 synthetic esters and high performance additives, these state-of-the-art products will perform under the most extreme conditions, to boost performance, provide maximum protection and prolong component life.

Below is a small selection of products in our extensive Motorsport range. For details of other products in our range – please phone +44 (o) 1484 475050 or visit www.millersoils.co.uk





Especially suited to modified, high performance vehicles, with or without turbochargers, for fast road, race, rally and track day use. A performance alternative where the manufacturer specifies a 10w40.

#### CFS 10w50 FULLY SYNTHETIC TRIPLE ESTER ENGINE OIL

ORDER CODES:				
6253JDA	1L x 10 (Case)	6253XLA	25L	
6253GFA	5L x 4 (Case)	6253CGA	205L	



Suitable for fast road. race, rally, sprints and hill climbs. Ideal for engines with hydraulic tappets e.g. Ford Zetec.









Visit our website to read what motorsport competitors and enthusiasts have to say about our products including auotes from high profile BTCC teams and leading rally and racing drivers. Read also about how our 'Nano Technology' gear oils beat motorsport legends Williams and McLaren to a top Motorsport innovation award.



28

For synchromesh gearboxes and transaxles. Incorporates nano technology additives to further reduce friction and increase gear life.

**CRX 75w90 NT** FULLY SYNTHETIC LIGHTWEIGHT TRANSMISSION OIL

ORDER CODES:				
6155JDA	1L x 10 (Case)	6155XLA	25L	
6155GFA	5L x 4 (Case)	6155CGA	205L	



**ORDER CODES:** 

5587MAJ 250ml x 10 (Case)

CFS 5w40 FULLY SYNTHETIC TRIPLE ESTER ENGINE OIL ORDER CODES: 5836JDA 1L x 10 (Case) 5836GFA 5L x 4 (Case)

5836XLA 25L 5836CGA 205L

The original CVL remains the

most effective solution for

running older competition

without knock detection

and sophisticated engine

and prevents detonation.

engines (along with engines

management systems) using

unleaded fuel. CVL lubricates

valves, controls the flame front







#### Driving classics into the future.

Millers Oils is one of the few companies to offer an extensive range of engine oils, transmission oils and fuel treatments developed specifically for the owners of classic cars, motorcycles and commercials.

Below is a small selection of products in our extensive Classic range. For details of other products in our range – please phone **+44 (o) 1484 475050** or visit **www.millersoils.co.uk** 



ORDER CODES:

5065XKA 25L

5065JCA 1L x 10 (Case)

5065GEA 5L x 4 (Case)

CLASSIC MILLEROL M30 NON-DETERGENT MONOGRADE ENGINE OIL

This range and type of oil is suited to veteran and vintage cars manufactured before the early 1930s, and especially where engines do not have any form of oil filtration system.

5065DHA **60L** (Export only) 5065CGA **205L** 

Mineral engine oil

diesel engines.

for classic petrol and



This range and type of oil is suited to veteran and vintage vehicles where a mono grade oil is required and the engine has been reconditioned recently. Suitable for vehicles built during the period from the early 1930s to the early 1960s with superior oil filtration systems.

#### CLASSIC PISTONEEZE P30 LOW-DETERGENT MONOGRADE ENGINE OIL

ORDER CODES:			
5754JCA	1L x 10 (Case)	5754XKA	25L
5754GEA	5L x 4 (Case)	5754DHA	60L (Export only)



#### CLASSIC 20w50 MINERAL MULTIGRADE ENGINE OIL

ORDER CODES:			
F1101CA	11 10 /		

 5119JCA
 **1L x 10** (Case)
 5119XKA
 **25L** 

 5119GEA
 **5L x 4** (Case)
 5119CGA
 **205L**



Enables classic vehicles to run safely on unleaded petrol. Lubricates valves, guides and prevents valve seat recession. Adds up to 2 octane (20 octane points) to base fuel. Provides flame front control to prevent detonation and running on.

VSP PLUS LEAD SUBSTITUTE AND OCTANE BOOSTER

ORDER CODES:

5576MAA 250ml x 10 (Case)







# **CLEANING PRODUCTS**

Millers Oils supplies several high performance cleaning and degreasing products for cars, vans and commercial vehicles. Each formulation is developed to deliver the best results for cleaning and degreasing applications.



A multi purpose phosphate free power cleaning fluid used on vehicles, equipment and floors for the removal of grease and film deposits.

- Effective removal of road traffic film.
- Removal of heavy grease deposits.

Can be applied effectively by brush application.

## POWER CLEANER 2011

ORDER CO	DES:	
5486GCA	5L x 4 (Case)	5486XMA
		E 40 CULA

5486XMA **25L** 5486CKA **205L** 



Emulsifiable cleaning fluid based on low boiling point mineral oil fractions incorporating the latest environmentally friendly technology. Used for the removal of heavy oil, grease and other oily soils from metal parts.

- Machinery and engines can be cleaned without removal from mountings.
- Heavy soil can be removed by a two-stage application
- Can be used effectively with brush application.

MILLSOL GREEN

30

ORDER CODES:		
5109GQA 5L x 4 (Case)	5109XEA <b>25L</b>	
5109FDA <b>20L</b>	5109CKA <b>205L</b>	






E-Vap is a specially formulated blend of fast evaporating solvents, specifically designed to clean and degrease vehicle brakes and clutches.

- Provides the speedy and effective removal of dirt, grease, brake fluid and brake and clutch lining dust from all types of vehicle clutches brake drums, shoes, discs and calipers.
- Good grease spot removal from fabric.
- Good tar removal from carpets etc
- Also suitable for removing label & glue.

E-Vap is suitable for the degreasing of most types of metal parts in situ.







# HAND CARE

Every year, thousands of mechanics suffer with skin problems after exposure to dirt, germs and chemical substances in their place of work, leading to lost working days each year – a loss to companies that can easily be prevented.

Following these 3 steps using X Clean Plus cleansing paste will help prevent the risk of debilitating skin disorders.

- 1. Always wash before and after breaks
- 2. Always use a natural hand cleanser
- Always wash hands before and after using gloves.



Antiseptic non-alkaline solvent free cleansing paste, with polychips, Citrus smell, PH 6.5.

- Fully biodegradable.
- Cleans and protects skin
- Effective against a wide range of 'soils' including fats, oils, tars, grease and paints
- The presence of superfatting agents leads to skin protection
- Gentle to skin
- Helps prevent chafed and sore hands

X-CLE	AN PLUS	S	
ORDER CO	DES:		
5356TCA	500g	5356RAA <b>9kg</b>	
5356SCA	3kg tin		

## AEROSOLS TYGRIS



The automotive collection of Tygris aerosols delivers specialist performance for the automotive industry.

Providing industrial-grade action that keeps everything running smoothly, you can also restore or maintain vehicles' appearance with Tygris automotive aerosols.

A full range of Tygris aerosols are available from Millers Oils on request








# GARAGE EQUIPMENT



Millers Oils supply workshop professionals in the automotive industry with a wide range of high quality, reliable, lubrication and garage equipment including, pumps, taps, hose reels, meters, nozzles, grease guns, dispensing aids & measures, funnels, oil measuring jugs, taps, waste oil drainers and much, much more.



A range of meters and control valves with rigid or flexible spouts and easy to read high volume meters which can dispense products up to 90L/min.





#### HOSE REELS

32

A comprehensive range of high quality spring rewind and powered house reels.

#### KITS FOR HOSE REELS AND PUMPS

A wide range of pump and hose reel kits are also available with various ancillary equipment e.g. meters, valves, air regulators and fittings.

#### OIL PUMPS AND KITS 'FIT AND FORGET'

A comprehensive range of high quality oil pumps including air operated pumps capable of pumping oils and similar products up to 1000L/min, grease up to 10kg/min. The pumps are of a proven reliability providing low maintenance and are suitable for mounting in barrels, tanks, IBCs, mobile dispensing units and wall mounting.

#### PROTECTING YOUR ENVIRONMENT

It may be oil or cleaning chemicals or even waste, whatever it is, it may present a potential hazard. Millers Oils therefore can offer you a wide range of absorbents – pads & rolls, spill kits, drip trays, even bunding and IBC storage – For further info please contact Millers Oils. Listed on these pages is a selection of some of the more common garage equipment items that may be of interest. For further information on the full product range and product information please phone +44(0) 1484 475050.

PUMPS, STANDS AND GREASE UNITS





Side lever grease gun for 400g cartridge



75048 Gear oil unit

Gear Oil Unit Model 'G' for 25 Litre drum	75048
Rotary Barrel Pump WS25	75119
Barrel Stand 'BS' for 205 Litre barrel	75052
Barrel Stand 'BS1' c/w Wheels for 205 Litre barrel	75053
Bucket Pump Greaser for 12.5 Kg Keg	75024
Lever Pump for 205 Litre barrel	75051
25 Litre Gear Oil lift Pump	75082
50kg Air-Operated Grease unit	75355
12kg Air-Operated Grease unit	75373
20/25 Litre Piston Oil Pump (Not suitable for Gear Oil)	75086
Syphon Pump for 25 Litre drum	75120
Syphon Pump for 205 Litre barrel	75121
Side Lever Grease Gun for 400g Cartridge	75064
ACCESSORIES	
12" Flexi Hose for Grease Gun	75072
300cc Oil Can c/w Flexi-Spout	75075
500cc Oil Can c/w Flexi-Spout	75076
ZB 1000 Pressure Spray Bottle	75249
DISPENSERS & MEASURES	
X-Clean Dispenser 3kg	75080
X-Clean Dispenser 9kg	75081
5 Litre Plastic Measure c/w Flexi Spout	75101
5 Litre Plastic Measure c/w Flexi Spout 2 Litre Plastic Measure c/w Flexi Spout	75101 75085
2 Litre Plastic Measure c/w Flexi Spout	75085
2 Litre Plastic Measure c/w Flexi Spout 1 Litre Plastic Measure c/w Flexi Spout	75085
2 Litre Plastic Measure c/w Flexi Spout 1 Litre Plastic Measure c/w Flexi Spout	75085 75083
2 Litre Plastic Measure c/w Flexi Spout      1 Litre Plastic Measure c/w Flexi Spout      TAPS      ¾" Plastic Tap for 205 Litre barrel	75085 75083 75037
2 Litre Plastic Measure c/w Flexi Spout      1 Litre Plastic Measure c/w Flexi Spout      TAPS      3/4" Plastic Tap for 205 Litre barrel      3/4" Brass Lockable Tap for 205 Litre barrel	75085 75083 75037 75039

Order Code

2" Plastic Flo King Tap for 205 Litre drum	75043
FUNNELS	
Heavy Duty 10″ x 7″ Funnel	75044
9″ Plastic Funnel	75046
6″ Plastic Funnel	75045





# **MILLERS OILS BRANDED CLOTHING**



Corporate clothing has long been a must for companies intent on presenting a professional image, the perfect tool to promote an image or brand. Millers Oils can offer you a range of clothing specifically developed to help you promote the Millers Oils brand to the automotive market.

Organisations of any size, or individuals, can benefit from Millers Oils corporate clothing service. Whether a simple polo shirt, or a durable workwear jacket is needed, a complete range of clothing items are available. Millers Oils can provide the resource to help you create a professional impression for your working environment.





Note: Additional branded clothing items can be made available on request for example work wear overalls.



**GUARANTEE** 

Millers Oils as a producer of Original Equipment (OE) specified products is obliged to produce products, in accordance with OE specification.

Millers Oils with the Association of the Constructors of European Automobiles (ACEA) through the participation in the European Engine Lubricant Quality Management System (EELQMS) implies a commitment to develop and manufacture those engine oils for which compliance with ACEA Oil sequences will be claimed, or to have such engine oils developed or blended by third parties, in accordance with the guidelines, described in the ATIEL code of practice as well as a commitment to ensure an independant audit of the development and manufacturing process. These commitments are made in a "Letter of Conformance" issued by the participating entity to ATIEL.

ATIEL confirms that it has registered the declaration of the Millers Oils entities' participation in EELQMS (oil marketer's) Letter of Conformance

#### Millers Oils Guarantee

Millers Oils' guarantee herein, applies amongst others, to workshops servicing all vehicles including those that are within their warranty period as provided and defined through regulation

Millers Oils hereby undertakes and guarantees:

- Millers Oils products will meet specifications as claimed or as agreed in writing
- Millers Oils products as claimed or as agreed in writing, will be compatible with engine, braking, gearbox or cooling systems in vehicles, as defined through regulation
- Millers Oils products as claimed or as agreed in writing, will be compatible with 3 way catalytic convertors or Diesel Particulate filters if fitted to a vehicle as defined through regulation

Conditions of the Guarantee

Millers Oils guarantee is thereby conditional upon the strict use of all products being used in accordance with:

- a) The recommendations as listed in the Millers Oils "Which Oil" application guide 2009 edition, or official subsequent editions
- b) Millers Oils "Which Oil" application guide found at www.millersoils.co.uk
- c) Millers Oils Automotive Product Guide brochure 2010 edition
- d) All other forms of official Millers Oils automotive product documentation and marketing literature
- e) MAM Software Autocat+
- f) Olyslager Database System: Lubricant Data for the Oil Industry

Although every care is taken to ensure the accuracy and completeness in compiling the data in accordance with the above, no liability, other than that which may be not excluded by law, can be accepted for damage or loss caused by any errors or omissions in the information listed.

How to claim under the Guarantee

- 1. In the event of the damage (but not later than 28 days from the date the damage occurred) please call Millers Oils Customer Services Manager on 01484 475084
- 2. At this point it will be important that you allow a Millers Oils technical representative to examine the vehicle and servicing records (if available) to determine the extent of the damage. Proof of both a) purchase and b) that the Millers Oils product was covered by the guarantee and was in use.
- Allow a Millers Oils representative to obtain a relevant sample of the product for analysis to assist in determining the cause of the equipment failure. (Please note: No cost will be occurred by you)
- Customer Services Department will register this complaint against the guarantee and will produce a full report, 4 with the outcome and will be sent back to you in due course.

This Guarantee excludes:

- Millers Oils products that have been wrongly used especially in accordance with equipment mechanically deficient or faulty or though abnormal operation, negligence, abuse, damage from an accident or equipment modification outside of the OEM original specification
- Millers Oils products that have been used in conjunction with any other un-authorised products for use with Millers Oils products - for example Fuel treatments
- Any damage to or the costs or expenses of recalling, repairing, replacing, altering, removing or making any refund in respect of any product caused by or arising from :-

a) any defect in or the harmful nature of or unsuitability for its intended purpose of such product supplied b) an error or fault in connection with the sale, supply or presentation of such product supplied

- Repair or replacement of equipment due to normal wear and tear
- Any claim that is not proved, supported or verified by a mutually appointed assessor/engineer that damage to an engine, braking, gearbox or coolant system has been caused by reasons of the Millers Oils products not meeting the specification claimed or agreed.

#### Quality Management System:



Millers Oils has a company been assessed and registered by NQA against the provisions of BS EN ISO 9001 : 2008



Applicable to the design, blending, stocking, distribution and supply of lubricants, greases and allied products, maintaining a quality management system to the above standard, which will be monitored by NOA.





Millers Oils Ltd Brighouse, West Yorkshire HD6 3DP, England

## millersoils.co.uk

enquiries@millersoils.co.uk Tel: +44 (0)1484 713201





#### PREMIUM

For motorists who demand the best

Our flagship range of premium grade engine oils, transmission oils and fuel treatments, developed to maximise performance from today's advanced engines. Featuring semi synthetic, fully synthetic and long life products, our Premium range has been proven to deliver improved performance, cleaner running, greater fuel efficiency and longer engine life. Which is why many of our brands have earned the official approval of leading manufacturers such as BMW, Mercedes-Benz and VW.



## Trident

Value without compromise

Our Trident branded engine oils stand for quality and value you can trust. Developed principally for professional and trade users, the Trident range offers a consistently high standard of quality, suitable for high volume use in the workshop and covering all servicing requirements from older and higher mileage vehicles to the latest high technology designs. Trident products surpass manufacturers standards, so you can always be sure of their suitability and performance.



Motorsport

The spirit of competition

The racetrack and rally stages provide the ultimate proving ground for high performance products – and it's here that Millers Oils has built a strong reputation. From club drivers to teams in the British Touring Car Championship and British Rally Championship we've earned our place on the grid. We're working with drivers and engine builders, developing technically advanced products to boost performance, provide maximum protection and prolong component life. Innovation, for us, is a race without a finish line.



Driving classics into the future

Millers Oils is one of the few companies to offer a range of engine oils, transmission oils and fuel treatments developed specifically for the owners of classic cars, motorcycles and commercials. Our Classic products benefit from the latest advances in lubrication technology to create oils that not only meet older viscosity requirements but also provide maximum protection and actively prolong the life and performance of treasured vehicles.

"Ultimate Protection in Period Viscosities"

